

10 YEARS WARRANTY
★★★★★

dewon ELECTRIC

सुरक्षा का वादा



PRICE LIST 2026

www.dewonelectric.com



OFFERING RANGE



BREAKERS

Our breaker range combines safety, durability, both residential & commercial needs. From MCBs, MCCBs, RCCBs to Isolators they're built to withstand voltage fluctuations and protect your appliances efficiently

DB & CHANGEOVER

Dewon Electric's DBs and Changeover Switches offer compact, reliable control and seamless power shifts—ideal for modern homes and industrial setups.

WIRING ACCES.

Our wiring accessories blend precision with durability—offering modular switches, sockets, and enclosures designed for safety, easy installation, and aesthetic appeal. Perfect for modern interiors and smart builds, they're crafted to elevate everyday utility.

BLDC FANS

Smart, stylish, and energy-efficient. Dewon's BLDC range delivers powerful airflow with up to 65% electricity savings. Designed for modern homes and workspaces, they combine durability, quiet performance, and premium finishes for everyday comfort.



Dewon MCBs deliver precise protection against overloads and short circuits with fast-trip mechanisms and flame-retardant housings.

Designed for long-lasting reliability, they feature modular builds, high breaking capacity, and ISI-certified safety for homes and industries.

MCB

MINIATURE CIRCUIT BREAKER



Patented Design


Compact & Modular Design

10kA Breaking Capacity

Quick Trip Mechanism

Overload & Short Circuit Protection

Long Mechanical & Electrical Life



Current Rating (In)	Modules 1 Mod = 17.5mm	B-Curve Cat. No.	M.R.P. ₹ Per Unit	C-Curve Cat. No.	M.R.P. ₹ Per Unit	Std.Pack (Pcs)
Single Pole (SP)						
6A	1	CB1001006B	335	CB1001006C	364	144
10A	1	CB1001010B	335	CB1001010C	364	144
16A	1	CB1001016B	335	CB1001016C	364	144
20A	1	CB1001020B	335	CB1001020C	364	144
25A	1	CB1001025B	335	CB1001025C	364	144
32A	1	CB1001032B	335	CB1001032C	364	144
40A	1	CB1001040B	500	CB1001040C	550	144
50A	1	CB1001050B	570	CB1001050C	620	144
63A	1	CB1001063B	630	CB1001063C	690	144
Double Pole (DP)						
6A	2	CB2001006B	730	CB2001006C	800	72
10A	2	CB2001010B	730	CB2001010C	800	72
16A	2	CB2001016B	730	CB2001016C	800	72
20A	2	CB2001020B	730	CB2001020C	800	72
25A	2	CB2001025B	730	CB2001025C	800	72
32A	2	CB2001032B	730	CB2001032C	800	72
40A	2	CB2001040B	1040	CB2001040C	1140	72
50A	2	CB2001050B	1120	CB2001050C	1230	72
63A	2	CB2001063B	1210	CB2001063C	1330	72
Three Pole (TP)						
6A	3	CB3001006B	1140	CB3001006C	1250	48
10A	3	CB3001010B	1140	CB3001010C	1250	48
16A	3	CB3001016B	1140	CB3001016C	1250	48
20A	3	CB3001020B	1140	CB3001020C	1250	48
25A	3	CB3001025B	1140	CB3001025C	1250	48
32A	3	CB3001032B	1140	CB3001032C	1250	48
40A	3	CB3001040B	1610	CB3001040C	1760	48
50A	3	CB3001050B	1700	CB3001050C	1870	48
63A	3	CB3001063B	1850	CB3001063C	2030	48
Four Pole (FP)						
6A	4	CB4001006B	1600	CB4001006C	1750	36
10A	4	CB4001010B	1600	CB4001010C	1750	36
16A	4	CB4001016B	1600	CB4001016C	1750	36
20A	4	CB4001020B	1600	CB4001020C	1750	36
25A	4	CB4001025B	1600	CB4001025C	1750	36
32A	4	CB4001032B	1600	CB4001032C	1750	36
40A	4	CB4001040B	2130	CB4001040C	2340	36
50A	4	CB4001050B	2260	CB4001050C	2480	36
63A	4	CB4001063B	2370	CB4001063C	2600	36
Single Pole Neutral (SPN)						
6A	2	CB1101006B	600	CB1101006C	660	72
10A	2	CB1101010B	600	CB1101010C	660	72
16A	2	CB1101016B	600	CB1101016C	660	72
20A	2	CB1101020B	600	CB1101020C	660	72
25A	2	CB1101025B	600	CB1101025C	660	72
32A	2	CB1101032B	600	CB1101032C	660	72
40A	2	CB1101040B	760	CB1101040C	830	72
50A	2	CB1101050B	870	CB1101050C	950	72
63A	2	CB1101063B	980	CB1101063C	1070	72
Three Pole Neutral (TPN)						
6A	4	CB3101006B	1380	CB3101006C	1510	36
10A	4	CB3101010B	1380	CB3101010C	1510	36
16A	4	CB3101016B	1380	CB3101016C	1510	36
20A	4	CB3101020B	1380	CB3101020C	1510	36
25A	4	CB3101025B	1380	CB3101025C	1510	36
32A	4	CB3101032B	1380	CB3101032C	1510	36
40A	4	CB3101040B	1910	CB3101040C	2090	36
50A	4	CB3101050B	2020	CB3101050C	2220	36
63A	4	CB3101063B	2130	CB3101063C	2340	36



Current Rating (In)	Modules 1Mod=17.5mm	Cat No.	M.R.P ₹ Per Unit	Cat No.	M.R.P ₹ Per Unit	Std.Pack (Pcs)
Single Pole (SP)						
250 Volts			60/110 Volts			
6A	1	CB1017006C	546	CB1001006C	364	144
10A	1	CB1017010C	546	CB1001010C	364	144
16A	1	CB1017016C	546	CB1001016C	364	144
20A	1	CB1017020C	546	CB1001020C	364	144
25A	1	CB1010025C	546	CB1001025C	364	144
32A	1	CB1010032C	546	CB1001032C	364	144
40A	1	CB1017040C	830	CB1001040C	550	144
50A	1	CB1017050C	930	CB1001050C	620	144
63A	1	CB1017063C	1040	CB1001063C	690	144
Double Pole(DP)						
500 Volts			110/220 Volts			
6A	2	CB2017006C	1200	CB2001006C	800	72
10A	2	CB2017010C	1200	CB2001010C	800	72
16A	2	CB2017016C	1200	CB2001016C	800	72
20A	2	CB2017020C	1200	CB2001020C	800	72
25A	2	CB2017025C	1200	CB2001025C	800	72
32A	2	CB2017032C	1200	CB2001032C	800	72
40A	2	CB2017040C	1710	CB2001040C	1140	72
50A	2	CB2017050C	1850	CB2001050C	1230	72
63A	2	CB2017063C	2000	CB2001063C	1330	72
Three Pole(TP)						
750 Volts			330 Volts			
6A	3	CB3017006C	1880	CB3001006C	1250	48
10A	3	CB3017010C	1880	CB3001010C	1250	48
16A	3	CB3017016C	1880	CB3001016C	1250	48
20A	3	CB3017020C	1880	CB3001020C	1250	48
25A	3	CB3017025C	1880	CB3001025C	1250	48
32A	3	CB3017032C	1880	CB3001032C	1250	48
40A	3	CB3017040C	2640	CB3001040C	1760	48
50A	3	CB3017050C	2810	CB3001050C	1870	48
63A	3	CB3017063C	3050	CB3001063C	2030	48
Four Pole(FP)						
1000 Volts			440 Volts			
6A	4	CB4017006C	2630	CB4001006C	1750	36
10A	4	CB4017010C	2630	CB4001010C	1750	36
16A	4	CB4017016C	2630	CB4001016C	1750	36
20A	4	CB4017020C	2630	CB4001020C	1750	36
25A	4	CB4017025C	2630	CB4001025C	1750	36
32A	4	CB4017032C	2630	CB4001032C	1750	36
40A	4	CB4017040C	3510	CB4001040C	2340	36
50A	4	CB4017050C	3720	CB4001050C	2480	36
63A	4	CB4017063C	3900	CB4001063C	2600	36



SOLAR POWER, SUITABLE FOR DC POWER APPLICATION

MAXIMUM WORKING VOLTAGE: DC 1000V

RATING AND NUMBER OF POLES: 6-63A, 1/2/3/4 POLE

RATED VOLTAGE: DC 110/ 250/500/750/1000V

RATED BREAKING CAPACITY: 10KA

Current Rating (In)	Modules 1 Mod =17.5 mm	Cat. No.	M.R.P ₹ Per Unit	Std.Pack (Pcs)
Single Pole (SP)				
25A	1	CB1002025A	230	144
32A	1	CB1002032A	230	144
40A	1	CB1002040A	290	144
63A	1	CB1002063A	410	144
Double Pole (DP)				
25A	2	CB2002025A	490	72
32A	2	CB2002032A	490	72
40A	2	CB2002040A	600	72
63A	2	CB2002063A	830	72
100A	2	CB2002100A	1140	72
Three Pole (TP)				
25A	3	CB3002025A	730	48
32A	3	CB3002032A	730	48
40A	3	CB3002040A	900	48
63A	3	CB3002063A	1250	48
Four Pole (FP)				
25A	4	CB4002025A	980	36
32A	4	CB4002032A	980	36
40A	4	CB4002040A	1200	36
63A	4	CB4002063A	1260	36
100A	4	CB4002100A	2270	36



PATENTED DESIGN

SERVICE DUTY AC22A

CONFORMS TO IEC 60947-3

IP 20 PROTECTION

LOW WATT LOSSES

EASE OF BUSBAR CONNECTIVITY

TRUE CONTACT INDICATION FOR INDIVIDUAL POLE

PREMIUM RANGE

Dewon Electric proudly unveils its latest series of Miniature Circuit Breakers—crafted to meet the evolving demands of modern electrical infrastructure. With enhanced durability, faster response times, and compliance with global safety standards, our new MCBs deliver uncompromising performance across residential, commercial, and industrial applications.



**New
Launch**

Current Rating (In)	Modules 1 Mod = 17.5mm	Cat. No.	M.R.P. ₹ Per Unit	Std.Pack (Pcs)
Double Pole (30mA)				
16A	2	CB2012016A	3020	72
25A	2	CB2012025A	3310	72
40A	2	CB2012040A	3540	72
63A	2	CB2012063A	3780	72
Double Pole (100mA)				
16A	2	CB2112016A	3140	72
25A	2	CB2112025A	3430	72
40A	2	CB2112040A	3660	72
63A	2	CB2112063A	3900	72
Double Pole (300mA)				
16A	2	CB2212016A	3260	72
25A	2	CB2212025A	3540	72
40A	2	CB2212040A	3780	72
63A	2	CB2212063A	4020	72
Four Pole (30mA)				
16A	4	CB4012016A	3400	36
25A	4	CB4012025A	3690	36
40A	4	CB4012040A	3970	36
63A	4	CB4012063A	4060	36
Four Pole (100mA)				
16A	4	CB4112016A	3520	36
25A	4	CB4112025A	3800	36
40A	4	CB4112040A	4090	36
63A	4	CB4112063A	4180	36
Four Pole (300mA)				
16A	4	CB4212016A	3690	36
25A	4	CB4212025A	3920	36
40A	4	CB4212040A	4200	36
63A	4	CB4212063A	4300	36



CONFORMS TO IEC 61008-1 & IS : 12640-1-2016

RATED CURRENT FROM 16-63A

DUAL TERMINATION POSSIBLE FOR CABLE & COMB TYPE BUSBAR

HIGH SHORT CIRCUIT CURRENT WITHSTAND CAPACITY 10K

RATED SENSITIVITY 30MA, 100MA AND 300MA

AUTOMATICALLY MEASURE & DISCONNECT THE CIRCUIT WHEN- EARTH FAULT/ LEAKAGE CURRENT OCCURES & EXCEEDS THE RATED SENSITIVITY

MCB Changover

Silver Contact Fire Retardent True Indicator IP 20 Protection

Current Rating (In)	Cat. No.	M.R.P. ₹ Per Unit	Std.Pack (Pcs)
Double Pole MCB Changover			
40A	CB2013040A	1140	72
63A	CB2013063A	1330	72
Four Pole MCB Changover			
40A	CB4013040A	2460	36
63A	CB4013063A	2740	36



Manual Changover (Knife Type)

Raised Nutral link for wiring Draw / Brass Knife Type
Toggle Mechanism Ceramic Insulation FAB / Brass



Current Rating (In)	Cat. No.	M.R.P. ₹ Per Unit	Std.Pack (Pcs)
Double Pole Manual Changover			
32A/240V DP	CB2014032A	2170	10
63A /240V DP	CB2014063A	4090	4
Four Pole Manual Changover			
32A/415V FP	CB4014032A	5810	4
63A/415V FP	CB4014063A	9660	3
100A/415V FP	CB4014100A	15630	2
200A/415V FP	CB4014200A	25560	2

**HOME
SAFE**

Busbar

**PROVIDED FOR SAFE
HANDLING & INSTALLATION**

**HEAVY COPPER FOR BETTER
CONDUCTIVITY AND
DURABILITY**



Current Rating (In)	Cat. No.	M. R P. ₹ Per	Std.Pack (Pcs)
Busbar (Copper)			
32 A /415 V	CB1018032A	3980	5
63 A / 415 V	CB1018063A	5010	3
100 A/ 415 V	CB1018100A	6510	2
200 A/ 415 V	CB1018200A	9430	2

Main Switch



DRAW & FAB TYPE DESIGNS

**ROBUST ENCLOSURE WITH
SUPERIOR INSULATION PROPERTIES**

**HEAVY DUTY CONTACTS FOR LONG
LIFE & RELIABLE PERFORMANCE**




Current	Cat. No.	M.R.P. ₹ Per Unit	Std.Pack (Pcs)
Double Pole Main Switch			
32 A /240V DP Main Switch (Draw)	CB2019032A	2810	10
63 A /240V DP Main Switch (FAB)	CB2019063A	4820	4
Three Pole Main Switch			
32 A /415V TP Main Switch (Draw)	CB3019032A	7460	5
63 A/415V TP Main Switch (Draw)	CB3019063A	10650	3
100 A 415 V TP Main Switch (FAB)	CB3019100A	17110	2
200 A/415V TP Main Switch (FAB)	CB3019200A	30050	2

BEST SELLER

1600 Only



Voltage : 5V DC
Power : 30W
Battery : 1200mAh Li-Ion



- ✓ **1700 RPM**
- ✓ **USB Charging**
- ✓ **BPA-free Container**

Motor Starter

Current Rating (In)	Cat. No.	M.R.P. ₹ Per Unit	Std.Pack (Pcs)
Motor Starter			
25A	CB0015025A	570	10
32A	CB0015032A	660	10



Tiny MCB

Compact & Space saving design **Complete shock proof design**

Breaking Capacity 3KA (3000A) **Protection from overload & short circuit**



Current Rating (In)	Cat. No.	M.R.P. ₹ Per Unit	Std.Pack (Pcs)
Single Pole Tiny MCB			
6A	CB1016006A	290	12
10A	CB1016010A	290	12
16A	CB1016016A	290	12
20A	CB1016020A	290	12
25A	CB1016025A	290	12
32A	CB1016032A	290	12
Double Pole Tiny MCB			
6A	CB2016006A	630	6
10A	CB2016010A	630	6
16A	CB2016016A	630	6
20A	CB2016020A	630	6
25A	CB2016025A	630	6
32A	CB2016032A	630	6

SUITABLE FOR SURFACE & FLUSH MOUNTING SHORT CIRCUIT RATING - 10 KA

COLOUR : MIDAS GREY, SW6166 SHADE

DEGREE OF PROTECTION - IP 40

RAISED NEUTRAL LINK FOR EASY WIRING

CURRENT RATING: MAX 100 AMPS.

DISTRIBUTION BOARDS



**ENCLOSURE: POWDER COATED
1.1 MM CRCA SHEET STEEL.**

**PROMINENTLY PLACED
EARTHING SCREWS ON
EITHER SIDE**

**DETACHABLE DIN BAR
WITH END STOPPERS FOR
EASY ASSEMBLY OF MCBS**

**NUMBER OF DISTRIBUTION
WAYS: SINGLE POLE MCB - 4
WAYS TO 16 WAYS AND THREE
POLE MCB - 4 WAYS TO 12
WAYS**



Code No.	Item	Type	Price (Per Pcs)	Std.Pack (Pcs)	
Distribution Boards for Single Pole with Neutral (Single Door)					
CB00DB2001	Single Door	Distribution Boards for 2 Way Single Pole with Neutral	2 Pole	440	40
CB00DB4001		Distribution Boards for 4 Way Single Pole with Neutral	4 Pole	720	20



Code No.	Item	Type	Price (Per Pcs)	Std.Pack (Pcs)	
Distribution Boards for Single Pole with Neutral (Double Door)					
CB01DB4001	Double Door	Distribution Boards For 4 Way Single Pole With Neutral	4 Way	2250	16
CB01DB6001		Distribution Boards For 6 Way Single Pole With Neutral	6 Way	2660	12
CB01DB8001		Distribution Boards For 8 Way Single Pole With Neutral	8 Way	2900	12
CB01DB1001		Distribution Boards For 10 Way Single Pole With Neutral	10 Way	3370	10
CB01DB1201		Distribution Boards For 12 Way Single Pole With Neutral	12 Way	3720	10
CB01DB1601		Distribution Boards For 16 Way Single Pole With Neutral	16 Way	4610	6

Code No.	Item	Type	Price (Per Pcs)	Std.Pack (Pcs)	
Distribution Boards for Three Pole with Neutral					
CB02DB4001	Double Door	Distribution Boards For 4 Way Three Pole With Neutral	4 Way	5790	4
CB02DB6001		Distribution Boards For 6 Way Three Pole With Neutral	6 Way	7380	4
CB02DB8001		Distribution Boards For 8 Way Three Pole With Neutral	8 Way	8260	3
CB02DB1201		Distribution Boards For 12 Way Three Pole With Neutral	12 Way	10030	2



Code No.	Item	Type	Price (Per Pcs)	Std.Pack (Pcs)	
Distribution Boards for Single Pole with Neutral (Double Door)					
CB06DB4001	Double Door	Distribution Boards For 4 Way Single Pole With Neutral	4 Way	2700	16
CB06DB6001		Distribution Boards For 6 Way Single Pole With Neutral	6 Way	3192	12
CB06DB8001		Distribution Boards For 8 Way Single Pole With Neutral	8 Way	3480	12
CB06DB1001		Distribution Boards For 10 Way Single Pole With Neutral	10 Way	4044	10
CB06DB1201		Distribution Boards For 12 Way Single Pole With Neutral	12 Way	4464	10
CB06DB1601		Distribution Boards For 16 Way Single Pole With Neutral	16 Way	5532	6

Code No.	Item	Type	Price (Per Pcs)	Std.Pack (Pcs)	
Distribution Boards for Three Pole with Neutral					
CB07DB4001	Double Door	Distribution Boards For 4 Way Three Pole With Neutral	4 Way	6948	4
CB07DB6001		Distribution Boards For 6 Way Three Pole With Neutral	6 Way	8856	4
CB07DB8001		Distribution Boards For 8 Way Three Pole With Neutral	8 Way	9912	3
CB07DB1201		Distribution Boards For 12 Way Three Pole With Neutral	12 Way	12036	1



Code No.	Item	Type	Price (Per Pcs)	Std.Pack (Pcs)	
Distribution Boards for Single Pole with Neutral (Double Door)					
CB04DB4001	Double Door	Distribution Boards for 4 Way Single Pole with Neutral	4 Way	1650	16
CB04DB6001		Distribution Boards for 6 Way Single Pole with Neutral	6 Way	1930	12
CB04DB8001		Distribution Boards for 8 Way Single Pole with Neutral	8 Way	2160	12
CB04DB1001		Distribution Boards for 10 Way Single Pole with Neutral	10 Way	2500	10
CB04DB1201		Distribution Boards for 12 Way Single Pole with Neutral	12 Way	2890	10
CB04DB1601		Distribution Boards for 16 Way Single Pole with Neutral	16 Way	3290	6

Code No.	Item	Type	Price (Per Pcs)	Std.Pack (Pcs)	
Distribution Boards for Three Pole with Neutral (Double Door)					
CB05DB4001	Double Door	Distribution Boards for 4 Way Three Pole with Neutral	4 Way	4500	4
CB05DB6001		Distribution Boards for 6 Way Three Pole with Neutral	6 Way	5440	4
CB05DB8001		Distribution Boards for 8 Way Three Pole with Neutral	8 Way	6350	3

DUAL SERIES



Code No.	Item	Type	Price (Per Pcs)	Std.Pack (Pcs)	
Distribution Boards for Single Pole with Neutral (Double Door)					
CB03DB2001	Double Door	Distribution Boards for 2/4 Way Single Pole with Neutral	2/4 Way	1180	24
CB03DB6001		Distribution Boards for 6/8 Way Single Pole with Neutral	6/8 Way	1370	20
CB03DB1001		Distribution Boards for 10/12 Way Single Pole with Neutral	10 /12 Way	1890	20
CB03DB1401		Distribution Boards for 14/16 Way Single Pole with Neutral	14/16Way	2130	16



SWITCHES & PLATES

AVAILABLE IN MULTIPLE COLOURS

AVAILABLE IN PAINTED, METALLIC, WOODEN & ACRYLIC FINISH

AVAILABLE IN 1 MODULE TO 18 MODULE

SLEEK DESIGN, HIGHLY AESTHETIC AND BREAK FREE DESIGN

MODULAR PLATES – Metallic Shade with Indicator



Code No.	Item	Size (mm)	Price Per Pcs (White)	Price Per Pcs (Color)	Price Per Pcs (Metalic shade)	Std. Pack (Pc)
Modular Plates with Support Plate & Silver Line						
WA01SW0901	1 Module Plate	105x90	100	130	155	10
WA02SW0902	2 Module Plate	105x90	100	130	155	10
WA03SW0903	3 Module Plate	130x90	120	150	185	10
WA04SW0904	4 Module Plate	165x90	140	175	210	10
WA06SW0905	6 Module Plate	230x90	150	215	280	10
WA08SW0906	8 Module Plate (Square & Long)	160x160	220	295	370	10
WA12SW0907	12 Module Plate	230x160	280	360	440	10
WA18SW0908	18 Module Plate	228x228	450	580	700	5

MODULAR PLATES – Acrylic Mirror finish



Code No.	Item	Size (mm)	Price Per Pcs (Color)	Std. Pack (Pc)
Modular Plates with Mirror Finish				
WA01DG1101	1 Module Plate	105x90	200	10
WA02DG1102	2 Module Plate	105x90	200	10
WA03DG1103	3 Module Plate	130x90	238	10
WA04DG1104	4 Module Plate	165x90	280	10
WA06DG1105	6 Module Plate	230x90	340	10
WA08DG1106	8 Module Plate (Square & Long)	160x160	464	10
WA12DG1107	12 Module Plate	230x160	560	10
WA18DG1108	18 Module Plate	228x228	1200	5

**PLEASE ADD FOLLOWING TO CODES FOR COLOUR SELECTION DG FOR DEWON
GREY/ JB FOR JETBLACK / MR FOR MYSTIC RED / WR FOR WINE RED E.G. FOR
ORDERING ONE MODULE MYSTIC RED PLATE CODE WOULD BE CB04MR0904**

Alternative Colours					
	Dewon Grey	Jet Black	Mystic Red	Wine Red	dewon Wood



Complete Range with
Safety, beauty & comfort
 For your **Home**

Code No.	Item	Size (mm)	Price per Pcs (White)	Price Per Pcs (Metalic Color)	Std. Pack (Pc)
Modular Plates					
WA01SW1201	1 Module Plate	105x90	120	155	10
WA02SW1202	2 Module Plate	105x90	120	155	10
WA03SW1203	3 Module Plate	130x90	144	185	10
WA04SW1204	4 Module Plate	165x90	168	210	10
WA06SW1205	6 Module Plate	230x90	180	280	10
WA08SW1206	8 Module Plate (Square & Long)	160x160	264	370	10
WA12SW1207	12 Module Plate	230x160	336	440	10
WA18DG1208	18 Module Plate	228x228	540	700	5

AVAILABLE IN 1 MODULE TO 18 MODULE

AVAILABLE IN MULTIPLE COLOURS

SLEEK DESIGN, HIGHLY AESTHETIC AND BREAK FREE DESIGN

AVAILABLE IN PAINTED, METALLIC, WOODEN & ACRYLIC FINISH

COMPATIBLE TO MARKET BOXES

New & Modern Surface Gang Box

AVAILABLE IN 2 MODULE TO 12 MODULE

COLOUR - WHITE WITH DUAL SILVER LINE

STYLE - MODERN

FINISH - VIRGIN POLYCARBONATE


SHAPE - SQUARE , RECTANGLE

ROBUST & UNBREAKABLE BASE

EASY TO FIX & USE

SUITABLE FOR ALL DEWON FITTINGS

COMPACT & SPACE SAVING DESIGN



Code No.	Item	Price (Per Pcs)		Std. Pack (Pcs)
		With Modular Plates	Surface box without Modular Plates	
Gangbox / Surface box				
WA01DW1301	1 Module Plate	96	67	10
WA02DW1302	2 Module Plate	96	67	10
WA03DW1303	3 Module Plate	112	78	10
WA04DW1304	4 Module Plate	132	92	10
WA06DW1305	6 Module Plate	164	115	5
WA08DW1306	8 Module Plate (Square & Long)	216	151	5
WA12DW1307	12 Module Plate	264	185	5

GI Junction Box



Code No.	Item	Price (Per Pcs)	Std. Pack (Pcs)
GI Junction Box			
WA01GI1101	2M G.I. BOX 1.0MM	96	60
WA01GI1102	3M G.I. BOX 1.0MM	112	60
WA01GI1103	4M G.I. BOX 1.0MM	152	60
WA01GI1104	6M G.I. BOX 1.0MM	184	40
WA01GI1105	8M(Sq) G.I. BOX 1.0MM	216	25
WA01GI1106	8M(Hz) G.I. BOX 1.0MM	216	30
WA01GI1107	12M G.I. BOX 1.0MM	288	20
WA01GI1108	18M G.I. BOX 1.0MM	392	10

Modular Switch



Code No.	Item	Module	Price (Per Pcs) White	Price (Per Pcs) Grey / Black	Std. Pack (Pcs)
Switches / Indicator (Basic)					
WA01DS1401	10 Amp 1 Way Switch	1	50	65	20
WA01DS1402	10 Amp 2 Way Switch	1	72	80	20
WA01DS1403	Bell Push Switch	1	64	74	20
WA01DS1404	Indicator	1	60	70	20
WA01DS1405	16 Amp 1 way switch	1	90	100	20
WA01DS1406	16 Amp 2 Way Switch	1	120	150	20
WA01DS1407	Bell Push Switch 2 Modular	2	120	135	10
Switches / Indicator (Flat)					
WA01DS1501	10 Amp 1 Way Switch	1	60	75	20
WA01DS1502	10 Amp 2 Way Switch	1	80	88	20
WA01DS1503	10 Amp Bell Push Switch	1	72	82	20
WA01DS1504	20 Amp 1 Way Switch	1	90	100	20
WA01DS1505	20 Amp 2 Way switch	2	98	106	20
Connecting Module					
WA01DS1601	T.V Socket	1	50	62	20
WA01DS1602	2 Pin Socket	1	60	68	20
WA01DS1603	10 Amp Socket 3 Pin Socket	2	180	190	10
WA01DS1604	10 Amp Socket 5 Pin Socket	2	90	100	10
WA01DS1605	20 Amp Socket 3 Pin Socket	2	180	190	10
WA01DS1606	20 Amp Socket 5 Pin Socket	2	180	190	10
WA01DS1607	16 Amp Socket 5 Pin Socket (Porcelin)	2	200	220	10
WA01DS1608	USB Port	1	560	-	20
WA11012801	2M Led Foot Light	2	10	-	
Electric Fan Regulator					
WA01DS1701	Elec. Dimmer Switch Type 1	1	192	180	20
WA01DS1702	Elec. Dimmer Socket Type 2	2	360	320	10
WA01DS1703	Switch Type Step Regulator 1	1	200	420	20
WA01DS1704	Socket Type Step Regulator 2	2	440	480	10

Electrical Accessories

Code No.	Item	Price Per Pcs	Std. Pack (Pcs)
Multi plug			
WA10012301	6 Amp 5 Pin Multi Plug	80	10
WA10012302	6 to 16Amp 5 Multi Plug	180	10
WA10012303	16 Amp Multi Plug	180	10
WA10012304	6 Amp Conversion Multi Plug	140	10
Holder			
WA10012401	Fancy Batten Holder	80	20
WA10012402	Fancy Angle Holder	80	20
WA10012403	Modular Square Batten Holder	120	20
WA10012404	Modular Square Angle Holder	120	20
WA10012405	Modular Round Batten Holder	90	20
WA10012406	Modular Round Angle Holder	90	20
Tops/Plugs			
WA10012501	2 Pin Top	30	20
WA10012502	2 Pin Heavy	52	20
WA10012503	6 Amp 3 Pin Top	70	20
WA10012504	16 Amp 3 Pin Top	120	20
WA10012505	6 Amp 3 Pin Top (Heavy Duty)	80	20
WA10012506	16 Amp 3 Pin Top (Heavy Duty)	140	20
Mini SPN MCB 32 A / Home Safe			
WA11012616	Mini SPN MCB 16A	460	5
WA11012632	Mini SPN MCB 32A	500	5
WA11022616	Mini DP MCB 16A	480	5
WA11022632	Mini DP MCB 32A	520	5
Power Combined			
WA12010106	6A & 16A Switch socket combined (With Box)	350	10
Extension Cord / Power Strip			
WA12020101	Extension Cord Knight Series	400	10
WA12020102	Extension Cord B Series	400	10
WA12020103	Power Strip 3 Socket	500	10
WA12020104	Power Strip 5 Socket	600	10
WA12020105	Power Strip 5 Socket with button	650	10





BLDC FANS



we're proud to introduce our latest breakthrough—energy-saving BLDC fans designed for the modern Indian home. Engineered for silent performance, superior airflow, and up to 65% energy savings, our fans reflect Dewon's commitment to quality, sustainability, and customer delight. As we expand our product portfolio, we remain focused on delivering smart, reliable, and affordable solutions that power everyday comfort.

**New
Launch**

★ ★ 2 + 1 year warrenty



PREMIUM



Experience Auster, Dewon's flagship masterpiece crafted for uncompromising luxury. Auster delivers commanding airflow, whisper-quiet operation, and exceptional energy efficiency—all wrapped in a sophisticated silhouette.

Specifications

Sweep	1200 mm
Rated Power	40 Watts
Air Delivery	239 CMM
Service Value	5.83
Colour	White

MULTI COLOUR LIGHT

SPECIAL PRICE

₹ 4999



FULL GLOW LED

Specifications

Sweep	1200 mm
Rated Power	40 Watts
Air Delivery	200 CMM
Service Value	6.0
Voltage	230V, 50Hz, Phase-1 AC
Colour	Black Smoky Brown Rusty Copper (P)

Aurum

Introducing Aurum—Dewon Electric's premium BLDC fan designed to redefine comfort and efficiency. With its sleek metallic finish, whisper-quiet operation, and up to 65% energy savings, Aurum blends luxury with performance. Engineered for modern interiors and smart living, it's the perfect fusion of style, sustainability, and cutting-edge technology. Experience the gold standard in airflow—only with Aurum.

FREEZA

Introducing Freeza, Dewon Electric's dynamic BLDC fan built for high-speed cooling and everyday durability. With its bold design, energy-efficient motor, and consistent performance, Freeza is engineered to beat the heat while saving up to 65% on power. Whether for homes or workspaces, Freeza delivers fast, focused airflow with a modern edge—making comfort refreshingly effortless.



BLINK LED



Specifications

Sweep	1200 mm
Rated Power	30 Watts
Air Delivery	200 CMM
Service Value	6.0
Voltage	230V, 50Hz, Phase-1 AC
Colour	Black Smoky Brown Rusty Copper (P) Wooden (Blade)




BOOST MODE

COMPACT DESIGN

SPECIAL PRICE
₹3999

FROSTER

Introducing Froster, Dewon Electric's high-performance BLDC fan built for bold cooling and modern aesthetics. With its aerodynamic blades, energy-efficient motor, and sleek matte finish, Freeza delivers powerful airflow while consuming up to 65% less energy. Designed for those who demand both function and flair, Freeza brings a refreshing edge to everyday comfort.



Specifications

Sweep	1200 mm
Rated Power	30 Watts
Air Delivery	200 CMM
Service Value	6.0
Voltage	230V, 50Hz, Phase-1 AC
Colour	Black Smoky Brown Rusty Copper (P) Wooden (Blade)

7 LED



Glacia

Introducing Glacia, Dewon Electric's semi-premium BLDC fan crafted for refined comfort and energy-smart living. With its cool-toned design, efficient airflow, and up to 65% energy savings, Glacia strikes the perfect balance between elegance and performance. Ideal for contemporary homes, it offers whisper-quiet operation and reliable cooling—making every space feel effortlessly serene.



Specifications

Sweep	1200 mm
Rated Power	27 Watts
Air Delivery	215 CMM
Service Value	8.0
Voltage	230V, 50Hz, Phase-1 AC
Colour	White Smoky Brown Ivory, Rusty Copper (P) Black



REVERSE MODE

BEST SELLER

SPECIAL PRICE
₹2999



HIMORA

Meet Himora, Dewon Electric's new-generation BLDC fan built for everyday efficiency. Designed with simplicity and performance in mind, Himora delivers powerful airflow, quiet operation, and up to 65% energy savings—all at an accessible price point. It's the smart choice for homes seeking reliable cooling without compromising on style or sustainability.

Specifications

Sweep	1200 mm
Rated Power	27 Watts
Air Delivery	215 CMM
Service Value	8.0
Voltage	230V, 50Hz, Phase-1 AC
Colour	White Brown Ivory



EXHAUST FANS

SPECIAL
PRICE



Glory

Introducing Glory, Dewon Electric's powerful exhaust fan designed to keep your spaces fresh and ventilated. Built with a durable motor, Glory ensures efficient air circulation while consuming less energy. Its sleek design, quiet operation, and reliable performance make it the perfect choice for kitchens, bathrooms, and work areas where clean airflow matters most. With Glory, experience ventilation that combines strength, style, and sustainability.

Parameter	Unit	Ventilation Fan-6"	Ventilation Fan-8"	Ventilation Fan-10"
Input Operating Voltage range	VAC	90 ~ 300	90 ~ 300	90 ~ 300
Input Power @ Max speed	Watts	8-10W	16-18W	18-20W
Colour	-	White/Black	White/Black	White/Black
Price (High Speed)	-	₹ 1499	₹ 1799	₹ 1999
Price (Normal Speed)	-	₹ 1349	₹ 1449	-



Product Range : -

- Miniature Circuit Breaker (MCB)
- BLDC Fans
- Isolator / Switch Disconnecter
- Residual Current Circuit Breaker (RCCB)
- Distribution Board (DB)
- Modular Plates
- Switch & Sockets
- Modular Accessories
- Lighting

Contact us :

Website : www.dewonelectric.com

Email : info@dewonelectric.com

**Phone : +91 - 0120 425 1601
+91 - 92679 95008**



Also available on



Flipkart



JioMart

moglix



industrybuying



Our Factory address

Plot No - 201, 202, Ecotech Extension 1,
Greater Noida, Uttar Pradesh, India, 201306



OFFICIAL PARTNER

LUCKNOW
SUPER GIANTS

dewon
ELECTRIC

10

YEARS
WARRANTY
★★★★★

www.dewonelectric.com